

## PRACTICE ABSTRACT

# Brewer's yeast for organic pigs

## Problem

Protein supply is a constant challenge for organic farming. Organic raw materials with high protein content are quite scarce in some regions. The search for alternative sources of protein leads to the evaluation of the organic industry by-products.

#### Solution

Brewer's yeast is a by-product of beer in brewing industries. It is considered a liquid by-product (figure 1) with approximately 15% dry matter (DM). It is obtained from the anaerobic fermentation of beer, formed, among other ingredients, by *Saccharomyces cerevisiae*. Brewer's yeast has a high content of protein and vitamins of the B complex, which compensates the high transport costs due to its high water content.

#### **Benefits**

- Yeast has a high content of protein (> 47% DM) of high biological (3.6% of lysine) and digestible value (> 85%), thus reducing the cost of feed.
- Yeast is rich in B vitamins, especially biotin and folic acid (besides vitamin B1, B2, B6, B12, PP, B5) and in vitamin D, with a content of 2000 - 5000 IU1/g DM.
- The content of phosphorus in the yeast is up to 0.8-1.3%.



Figure 1: Yeast. V. Rodríguez-Estévez, Universidad de Córdoba

## **Applicability box**

#### Theme

Pigs

#### Context

Farms close to an organic brewery.

#### Application time

All year, although it is more available in spring and summer.

#### **Required time**

None; but no more than two days of storage.

## Period of impact

None.

## Equipment

Special equipment is needed, including an automatic system for liquid feeding and two storage tanks (figure 2) so that they can be cleaned between batches.

#### Best in

Sows, growers and fattening pigs.



Figure 2: Tanks for yeast. V. Rodríguez-Estévez, Universidad de Córdoba

<sup>&</sup>lt;sup>1</sup> International Unit

Brewer's yeast for organic pigs. Ecovalia & Universidad de Córdoba. OK-Net EcoFeed Practice Abstract.



**PRACTICE ABSTRACT** 

- Yeast promotes animal performance and health.
- Yeast improves the quality of the carcass.

### Practical recommendation

- Two holding tanks are needed for hygiene reasons.
- Yeast deteriorates very easily, do not use the product stored over 2 days.
- It is necessary to deactivate (kill) the yeast before transporting and using it on the farm. Hence, autolyzed yeast should be used.
- Yeast is a quite seasonal product, and it cannot be stored; however, it can be added to silage mixtures as an alternative to avoid its deterioration.

## **Further information**

### Video

• The video <u>"Liquid Feed for pigs"</u> is available from Lallemand Animal Nutrition. The video shows how liquid feed systems work.

## **Further reading**

- Broadway, P.R., Carroll, J.A. and Burdick Sanchez, N.C. (2015). <u>Live Yeast and Yeast Cell Wall Supplements Enhance Immune Function and Performance in Food-Producing Livestock: A Review</u>. Microorganisms, Vol 3 (3), pp. 417-427.
- De Blas, C., Mateos, G.G. and Rebollar, P.G. (2010). <u>Levadura de cerveza</u>. In: Tablas FEDNA de composición y valor nutritivo de los alimentos para la fabricación de piensos compuestos (3ª ed.) Fundación Española para el Desarrollo de la Nutrición Animal. Madrid. 502 pp.
- Heuzé, V., Thiollet, H., Tran, G., Edouard, N., Lessire, M., Lebas, F. (2018). <u>Brewers yeast</u>. Feedipedia, a programme by INRA, CIRAD, AFZ and FAO.

## Weblinks

• Further documents can be found on the Organic Farm Knowledge website.

## About this practice abstract and OK-Net EcoFeed

#### Publishers:

Asociación Valor Ecológico – Ecovalia, Avenida Diego Martínez Barrio 10, modulo 12, ES-41013 Sevilla, www.ecovalia.org

Universidad de Córdoba, Campus Universitario de Rabanales, Departamento de Producción Animal, Facultad de Veterinaria, ES-14071 Córdoba www.uco.es

Research Institute of Organic Agriculture (FiBL) Ackerstrasse 113, Postfach 219, CH-5070 Frick Phone +41 62 865 72 72, info.suisse@fibl.org, www.fibl.org

IFOAM EU, Rue du Commerce 124, BE-1000 Brussels Phone +32 2 280 12 23, info@ifoam-eu.org, www.ifoam-eu.org

**Authors:** Vicente Rodríguez-Estévez, Carolina Reyes-Palomo, Santos Sanz-Fernández. Cipriano Díaz-Gaona, Cátedra de Ganadería Ecológica Ecovalia, Universidad de Córdoba, Spain

**Review:** Lindsay Whistance, Organic Research Centre, UK, Lauren Dietemann, FiBL Switzerland, Helga Willer, FiBL Switzerland



#### Contact: vrestevez@uco.es

Permalink: Organic-farmknowledge.org/tool/38116

**OK-Net EcoFeed:** This practice abstract was elaborated in the Organic Knowledge Network on Monogastric Animal Feed project. The project is running from January 2018 to December 2020. The overall aim of OK-Net EcoFeed is to help farmers, breeders, and the organic feed processing industry in achieving the goal of 100% use of organic and regional feed for monogastrics.

Project website: ok-net-ecofeed.eu

**Project partners:** IFOAM EU Group (project coordinator), BE; Aarhus University (ICROFS), DK; Organic Research Centre (ORC), UK; Institut Technique de l'Agriculture Biologique (ITAB), FR; Research Institute of Organic Agriculture (FiBL), CH; Bioland, DE; Associazione Italiana per l'Agricoltura Biologica (AIAB), IT; Donau Soja DS, AT; Swedish University of Agricultural Sciences, SE; ECOVALIA, ES; Soil Association, UK.

© 2020

