# ORGANOFINERY: A biorefinery for the production of organic proteinrich feed for monogastric animals

M. Santamaria-Fernandez\*, H. Uellendahl, M. Lübeck, Aalborg University – Copenhagen, Denmark


SITGES, 25 OCTOBER 2016



### THE NEED FOR ORGANIC PROTEIN-FEED


- Several challenges in the supply of organic protein feed for monogastric animals:
  - Difficulties to obtain organic soybeans, and at reasonable price.
  - Lack of legumes with the suitable amino acid profile.
  - The use of conventional feed in organic agriculture is to be totally forbidden from 2018.
- Europe needs to develop sustainable farming systems based on locally produced feeds.
  - ► Extraction of proteins from green biomass in a green biorefinery concept.

# THE ORGANOFINERY PROCESS




## LABORATORY SCALE EXPERIMENTS


### RED CLOVER




### **ALFALFA**



### **CLOVER GRASS**



#### OILSEED RADISH




# FEEDING QUALITY IN DRY PROTEIN PRODUCT

g/kg DM	Arg	Cys	His	lle	Leu	Lys	Met	Phe	Thr	Val	Total
Soybeans <sup>a</sup>	31.4	5.8	10.1	18.5	29.3	26.2	5.2	19.7	15.6	18	179.8
Red clover	26.8	2.5	10.8	23.5	39.4	26.8	8.5	26.5	20.1	28.2	213.1
Clover grass	22.9	2.4	9.1	20.9	34.3	23.9	8.2	23	17.7	24.8	187.2
Alfalfa	20.1	3.4	9	21.8	35.4	21.5	7.8	25.5	17.6	24	186.1
Oilseed radish	23.4	4.7	10.1	21.7	37.3	25.4	9.1	25.3	19.2	26	202.2

<sup>&</sup>lt;sup>a</sup>Steenfeldt and Hammershøj, 2015.









- 4% of proteins in the fresh crop were recovered in the protein concentrate.
- Dry protein product contained 30-35% of proteins.
- Bottlenecks in the process:
  - · Screw pressing.
  - Decanter centrifugation.
- Next steps:
  - Feeding trial with laying hens.
  - · Feeding trial with pigs.
  - Press cake will be tested as cow feed (Bio-value).

## **CONCLUSIONS**

- Organofinery process can produce organic protein-rich feed for monogastric animals.
- Efficient process at laboratory scale:
  - Up to 23% of proteins recovered in the protein concentrate from red clover.
  - Yields between 6kg and 13kg of dry organic protein product per ton of fresh crop.
- Several challenges to face at large scale:
  - · Optimization of the screw pressing.
  - Improve the separation of proteins after the fermentation.
- Good practical experience, and stakeholders look forward the next steps for Organofinery to become a reality soon.

# **ACKNOWLEDGMENTS**







