

# Tropentag 2023

International Research on Food Security, Natural  
Resource Management and Rural Development

## Competing pathways for equitable food systems transformation: trade-offs and synergies

Book of abstracts

**Editor:** Eric Tielkes

**Reviewers/scientific committee:** Ayobami Adetoyinbo, Folkard Asch,  
Christian Bateki Adjogo, Bonnie Blaimer, Michael Brüntrup,  
Robert Cárcamo Mallen, Tsu-Wei Chen, Michelle Chevelev-Bonatti,  
Claudia Coral, Teresa Da-Silva-Rosa, Emmanuel Donkor, Christoph Gornot,  
Stef De Haan, Caroline Hambloch, Harry Hoffmann, Gudrun Keding,  
Marcos Lana, Katharina Lohr, Dagmar Mithöfer, Janvier Ntwali, Regina Rößler,  
Constanze Rybak, Lilli Scheiterle, Barbara Schröter, Johannes Schuller,  
Verena Seufert, Stefan Sieber, Jonathan Steinke, Silke Stöber, Götz Uckert,  
Martin Wiehle, Stefan Winter

**Editorial assistance:** Janna Pfister

# Impressum

Bibliografische Information der Deutschen Nationalbibliothek

Die Deutsche Nationalbibliothek verzeichnet diese Publikation in der Deutschen Nationalbibliografie; detaillierte bibliografische Daten sind im Internet über <http://dnb.ddb.de> abrufbar.

1. Aufl. - Göttingen: Cuvillier, 2023

Tropentag 2023: Competing pathways for equitable food systems transformation: trade-offs and synergies Tielkes, E. (ed.) - Witzenhausen, DITSL

© DITSL

Steinstrasse 19, 37213 Witzenhausen

Telefon: 05542-6070

<https://www.ditsl.org>

Alle Rechte vorbehalten. Ohne ausdrückliche Genehmigung des Verlages ist es nicht gestattet, das Buch oder Teile daraus auf fotomechanischem Weg (Fotokopie, Mikrokopie) zu vervielfältigen.

The authors of the articles are solely responsible for the content of their contribution.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior permission of the copyright owners.

Online-Version: <http://www.tropentag.de/>

© CUVILLIER VERLAG, Göttingen 2023

Nonnenstieg 8, 37075 Göttingen

Telefon: 0551-54724-0

Telefax: 0551-54724-21

[www.cuvillier.de](http://www.cuvillier.de)

1. Auflage, 2023

Gedruckt auf umweltfreundlichem, säurefreiem Papier aus nachhaltiger Forstwirtschaft.

ISBN 978-3-7369-7880-5

eISBN 978-3-7369-6880-6

## Environment-specific selection of high-quality cotton cultivars from on-station and on-farm trials

ALEXANDER HEER, TANAY JOSHI, MONIKA MESSMER, AMRITBIR RIAR

*Research Inst. of Organic Agriculture (FiBL), Switzerland*

Selecting qualitatively high cotton cultivars is a critical aspect of cotton breeding programs. However, choosing cultivars is not straightforward. Genotype  $\times$  environment (G $\times$ E) interactions have to be considered when choosing varieties for cultivation. This holds especially true in organic farming where natural stress resistance is crucial in the absence of genetic modifications.

For on-station trials, GGE biplots have become a popular tool for selecting cultivars. We applied the method to data from our on-station trials conducted at five sites in India and for 29 cotton cultivars. The sites included different farming conditions and the cultivars were a mix of hybrids and non-hybrids from the *Gossypium hirsutum* and *Gossypium arboreum* species. Using the PPBstats package in R, we identified suitable varieties for each site. Cultivar performance varied greatly between sites. Varieties bred at a site performed particularly well, showing the importance of environment-specific breeding.

On-farm trials are a participatory breeding approach that enables farmers to participate directly in the decision-making. However, estimating G $\times$ E effects is difficult due to the trial design. To analyse our on-farm trials conducted on 102 farms in India, testing 32 *G. hirsutum* and *G. arboreum* varieties, we applied a hierarchical Bayesian G $\times$ E model. The analysis was done using the PPBstats package in R. Farm clusters in which the tested cultivars performed similarly were identified. Well-performing varieties for each cluster were found through mean comparisons within each farm. Furthermore, a GGE biplot analysis was performed by pooling farms along agroclimatic zones to identify suitable cultivars on an agroclimatic level. The preliminary results from the GGE biplots have lower precision for the individual farmers that participated in the trials than the hierarchical Bayesian method but can be used for giving recommendations to policymakers and stakeholders for selecting cultivars based on agroclimatic zones. Thus, the combination of the two approaches can be used for decision-making on G $\times$ E cultivar selection through on-farm trials while providing participating farmers with tailored recommendations for their own cultivation.

**Keywords:** Cultivar selection, genotype by environment interaction, on-farm trials, on-station trials, organic cotton, site-specific breeding

---

**Contact Address:** Alexander Heer, Research Inst. of Organic Agriculture (FiBL), Frick, Switzerland, e-mail: alexander.heer@fibl.org