

Practice Abstract

Pig native breeds for outdoor farming

Problem

Pigs reared outdoors are more often subjected to unfavourable climatic conditions than pigs reared indoors. Native breeds are more adapted to the outdoor environment, compared to conventional breeds and their crossbreds, as the breeding goals of the latter have been focussed more on productivity than on dealing with adverse weather conditions.

Solution

Pigs obtained by crossing local native breeds with conventional commercial breeds are better adapted to the outdoor environment, compared to pigs of conventional breeds. They are also more efficient and productive, compared to native breeds.

Benefits

Native pig breeds, compared to conventional commercial breeds, are characterized by:

- 1. Better rusticity and adaptability, often coming from centuries of natural selection and traditional breeding practices
- 2. Higher level of resilience to diseases and environmental stressors
- 3. Richer genetic diversity
- 4. Local cultural importance
- 5. Higher meat quality.

However, they are also characterized by poorer production performances (i.e. ADG, FCI, prolificacy).

APPLICABILITY

Theme/Keywords

Pig native breeds, crossbreeding, meat quality

Geographical coverage

Pig native breeds are present in most EU countries

Required time

The time needed to create and select female and male genetic lines from which cross-bred between native and improved commercial breeds can be obtained (1-2 years)

Period of impact

The first impact is expected after the first production cycle with cross-bred pigs

Best in

This practice is suitable for outdoor farming systems: extensive production, free-range and organic production.

Practical recommendations

The genetic choice of cross--bred pigs for free-range and extensive breeding should take the following factors into account:

- \checkmark Adverse climatic and soil conditions in fenced areas for outdoor farming;
- ✓ Climatic conditions during the rearing/fattening cycle(s) (i.e. seasonal or continuous throughout the year);
- ✓ Availability of breeding stock of native breeds adapted to the local environment;
- ✓ Market demand for high-quality meat from free-range pigs.

It is advisable to use conventional commercial breeds (e.g. Large White) in cross-breeding to achieve higher prolificacy and better maternal aptitudes in the female line.



Practice Abstract

Figure 1: Cinta Senese free-range pigs (CRPA)

On-farm application

System approach

Keep track of boar and sow crosses to avoid consanguinity in pure breed animals and monitor the productivity performances to select for the characteristics (e.g. prolificity, fertility, maternal attitude, carcass quality) that a farm wants to improve. Adopt farm strategies to enhance the value of pig products by processing them directly or through third parties and selling them directly on the farm or through alternative channels, such as the farm shop, farmers' markets, e-commerce or solidarity purchasing groups.

Evaluation

Keep track of farm expenses and calculate the cost of pig production at least on an annual basis and make sure it is covered by a fair and remunerative market price.



Figure 2: Mora Romagnola pigs (CRPA)

About this practice abstract and *mEATquality*

Publishers: CRPA Viale Timavo 43/2, 42121, Reggio Emilia +39 0522 436999 www.crpa.it

Authors: Paolo Ferrari

Review: Mariana Couto, Tatiana Kugeleva, Angela Morell Pérez, Hans Spoolder, Bas Kemp and Brigitte de Brujin

Contact: Dr. Paolo Ferrari, Viale Timavo, 43/2, 42121, Reggio Emilia, Italy.

p.ferrari@crpa.it +39 347 5426945 **mEATquality**: The *mEATquality* project aims to provide consumers with betterquality pork and broiler meat and animals with a high level of welfare by developing scientific knowledge and practical solutions together with farmers and chain partners.

The *mEATquality* project, an H2020 project, is coordinated by Wageningen Research (The Netherlands) and is a multidisciplinary team of 17 partners organisations representing 7 EU countries. The project is running from October 2021 to September 2025

Project website: www.meatquality.eu/ Social media: Facebook and LinkedIn @mEATquality & X @mEATqualityEU

Project partners: Wageningen Research, Wageningen University, Aarhus University, Institute of Genetics and Animal Biotechnology of the Polish Academy of Sciences, Naturland e.V., CLITRAVI, Ecovalia, University of Salamanca, University of Cordoba, Centro Ricerche Produzioni Animali. Stazione Sperimentale per l'Industria delle Conserve Alimentari Fondazione di Ricerca, Danish Technological Institute, Hubbard S.A.S., Poznań University of Life Sciences, Universitat des Saarlandes, Marel Poultry B.V., Universitaet Rostock @2024



This project has received funding from the European Union's Horizon 2020 research and innovation programme under Grant Agreement No 101000344. This practice abstract reflects the author's views and does not necessarily reflect the views or policy of the European Commission. Whilst efforts have been made to ensure the accuracy and completeness of this document, the European Commission shall not be liable for any errors or omissions, however, caused.

FURTHER INFORMATION

Videos

Local agrifood cycle production example with Mora Romagnola breed

Mora Romagnola

Weblinks

H2020 TREASURE project.

https://treasure.kis.si/