

«Push-pull» 2025-2027

håret engtege (*Lygus rugulipennis*)



Foto: Erling Fløistad, NIBIO



Foto: Nina Trandem, NIBIO




Foto: A. Andersen, Bioforsk

- Prosjekteier: NORSØK (v/Atle Wibe prosjektleder)
- Samarbeidspartnere: NLR Midt (v/Mirjam Halvorsrud), NIBIO, NIAB-UK
- Støttet av Landbruksdirektoratet, Handlingsplan for bærekraftig bruk av plantevernmidler.

PUSH



Alarmferomoner
(repellenter)



PULL



Insektfelle med
sexferomoner og
plantedufter (attraktanter)

Forsøksoppsett:

	Hodekål(k)	Kålrot(k)	Gulrot(ø)
Blokk 1:	c	c	
Blokk 2:		c	c
Blokk 3:			
Blokk 4:	c		
Feltverter:	Stig Arild Oldervik, Frosta	Ola Risan, Frosta	Aud Mari Folden og Bent Ingar Fuglu, Levanger

Feller også i jordbærfelt i Valldal, Møre og romsdal

Antall teger fanget i fellene

Hodekål:

4. juni	18. juni	30. juni	Sum
201	31	3	235

Kålrot:

	19. juni	30. juni	Sum
	910	121	1031

Gulrot:

	19. juni	30. juni	Sum
	229	249	478

Tegeskader i de ulike feltene:

Hodekål:

	4. juni	18. juni	30. juni	Sum
Behandlet	1	2	5	8
Ubehandlet	0	12	18	30

Kålrot:

	30. juni	Sum
Behandlet	2	2
Ubehandlet	1	1

Gulrot:


	1. juli	Sum
Behandlet	1	1
Ubehandlet	1	1

Treatment established on the 21. May 2025



- one control plot (15x15 m²) with no treatment

1-12: Individual traps in each plot




PUSH-PULL in a turnip field at Frosta

(63°35'9.30"N 10°43'24.29"E)

Planted on the 13. June 2025

Treatment established on the 13. June 2025



PUSH-PULL in an organic carrot field at Levanger

(63°45'16.89"N 11°19'46.30"E)

Seeded on the 6. June 2025

Treatment established on the 13. June

Sprouted at the 15. June 2025

